




Triple P-Positive Parenting Program

Review of Evidence



Prepared by
Parenting and Family Support Centre
The University of Queensland
March 2013

Table of Contents

1. Executive summary.....	3
2. Review of evidence supporting the effectiveness of Triple P.....	4
2.1 What is the Triple P system?.....	4
2.2 The evidence-base website.....	5
2.3 Findings from a comprehensive analysis of all Triple P studies.....	5
2.4 Evidence from other meta-analyses of Triple P studies.....	8
2.5 Null-findings in the context of complete evidence.....	8
2.6 Developer involvement in evaluation studies.....	9
2.7 Evidence concerning cost effectiveness.....	9
3. Inclusion of Triple P in evidence-based lists of effective interventions.....	10
3.1 Recognition in international and national policy documents.....	10
3.2 Endorsement by independent experts.....	10
3.3 Awards and international recognition.....	12
4. Conclusion.....	13
5. Appendices	
5.1 A comprehensive listing of Triple P evidence-base.....	14

1. Executive summary

The Triple P-Positive Parenting Program is a multi-level system of parenting and family support developed by Professor Matt Sanders and colleagues in the Parenting and Family Support Centre at the University of Queensland. It is supported by over 35 years of evaluation research and is the most extensively studied parenting intervention in the world. Triple P is currently implemented in 25 countries, translated into 18 languages, and has reached an estimated 7 million children globally.

- *Triple P has a substantial evidence base.* The Triple P evidence-bases comprises 157 evaluation studies conducted by (see Appendix A)
 - 429 different researchers
 - 129 different institutions
 - 13 countries
 - 36% of studies have been independent evaluations
- *The vast majority of studies show positive effects:* Of these studies, 151 (96.2%) show significant positive effects across a range of child and parent outcomes (see section 2.3).
- *A wide range of children benefit.* Children shown to benefit from Triple P interventions include children with oppositional defiant disorders; conduct disorders, ADHD, developmental disabilities, autism spectrum disorders; anxiety disorders; chronic illnesses and pain syndromes; persistent feeding difficulties; who steal and lie.
- *A wide range of parents benefit.* A wide range of parents have also participated and shown to benefit from Triple P including socially disadvantaged parents, parents experiencing serious mental health concerns (e.g., major depression, bipolar disorder), parents experiencing separation and divorce, parents with difficulties controlling their anger. Positive effects have been demonstrated for both mothers and fathers (although more mothers than fathers typically participate in parenting programs), indigenous parents, and grandparents.
- *Triple P has also been shown to work in many different cultures.* Triple P has been implemented in 25 countries and translated into 18 languages. The cultural acceptability and effectiveness of parenting strategies used in Triple P have been documented with parents in Australia, New Zealand, Japan, Singapore, Hong Kong, Iran, Scotland, England, Ireland, Sweden, Belgium, the Netherlands, Germany, Turkey, Switzerland, United States, Canada, South Africa and Panama. Audio visual case examples documenting the impact of Triple P can be found at <http://evidence.triplep.org>.
- *Triple P has been shown to be a highly cost effective intervention.* Several economic analyses conducted in Australia and internationally have provided evidence for the cost effectiveness of Triple P.
- *Only a small minority of studies show no effects.* Six (6) studies comprising 3.8% of available evidence failed to find a significant positive effect of Triple P. These few studies which fail to show positive effects contained methodological shortcomings, interpretational errors, or used a variant of Triple P that has not been made available to the public or professionals (see section 2.5).
- *Triple P is internationally recognized by independent experts as a quality program.* Triple P appears in many evidence-based lists of scientifically supported interventions (e.g. Blueprints for Violence Prevention) and is cited as an evidence-based program in many policy documents (e.g. WHO, UNODC; see section 3).

Summary

Triple P is the world's most extensively evaluated, strongly supported and widely implemented system of parenting intervention. Triple P produces empirically supported, beneficial effects across multiple indices of child, parent and family functioning, across cultures, socioeconomic groups, and age groups from toddlers to teenagers. Triple P is the only parenting intervention to have demonstrated population level effects on child maltreatment.

2. Review of evidence supporting the effectiveness of Triple P

Triple P has an extensive evidence-base documenting the effectiveness of the intervention on children and parents. This evidence has accumulated over a 35 year period. It has a successful history of implementation in Australia and many countries throughout the world.

2.1 What is the Triple P system?

The Triple P-Positive Parenting Program (Triple P) has its origins in social learning theory and the principles of behaviour, cognitive, and affective change articulated in the 1960s and 1970s. The public health model of parenting support used in Triple P took 35 years to develop and involved the collective efforts of a number of staff and postgraduate students at the University of Queensland (see Sanders, 2012).

The aim of Triple P is to prevent severe behavioral, emotional, and developmental problems in children and adolescents by enhancing the knowledge, skills, and confidence of parents. To achieve this goal, Triple P incorporates five levels of intervention on a tiered continuum of increasing strength for parents of children from birth to age 16. The suite of multilevel programs comprising the Triple P system are designed to create a family-friendly environment that better supports parents in the task of raising their children, with a range of programs tailored to the differing needs of parents. Triple P is best thought of as a blended, multilevel intervention comprising both universal and targeted interventions within a comprehensive system of parenting support.




Figure 1. The Multilevel Triple P System of Parenting Support an Intervention varying as a function of reach and intensity across the 5 levels of intervention.

The rationale for this multilevel strategy is that there are differing levels of dysfunction and behavioral disturbance in children and adolescents, and parents have different needs and preferences regarding the type, intensity, and mode of assistance they may require. The multilevel strategy utilizes the principle of the “minimally sufficient” effective intervention as a guiding principle to serve the needs of parents. As presented in Figure 1, the system enables practitioners to determine the scope of the intervention and is designed to maximize efficiency, contain costs, avoid waste and over servicing, and ensure the program has wide reach in the community.

The Triple P system has a range of evidence-based tailored variants and flexible delivery options that target different groups of high risk or vulnerable parents (e.g., parents of children with a disability; abusive, depressed, or maritally discordant parents; and Indigenous parents). The multidisciplinary nature of the program involves the utilization of the existing professional workforce in the task of promoting competent parenting.

2.2 The evidence-base website

The evidence supporting the Triple P system is accessible to all through the published literature and through the Triple P Evidence Base website maintained by the Parenting and Family Support Centre. The evidence-base website contains the most comprehensive and up to date listing of all Triple P related research and can be found at <http://www.pfsc.uq.edu.au/research/evidence>

2.3 Findings from a comprehensive analysis of all Triple P studies

Sanders, Kirby, Tellegen, and Day (2013) have conducted the most comprehensive meta-analysis of Triple P evaluation studies reported to date. The analysis involved a comprehensive literature search and included both published and unpublished studies on Triple P (N=157). The final analysis included a total of 101 studies which provided outcome data on the effects of Triple P and met the eligibility criteria for inclusion in the review (e.g., single N and population level trials could not be included in the analysis). Child and parent outcome data from these studies were combined and analysed to determine the overall effects that Triple P had on children and families.

The analysis included data from a total of 17, 577 families, from 13 countries, with a target child age range of 0-17yrs (mean age of 5.68yrs). The meta-analysis followed the PRISMA guidelines (see www.prisma-statement.org) for reporting the results of meta-analyses. Several different sources of bias were examined including publication bias and investigator bias.

A wide range of child parent and family outcomes were assessed including: (1) Parent reports of child social, emotional and behavioural outcomes; (2) Parenting practices; (3) Parenting satisfaction and confidence; (4) Parental adjustment (e.g. levels of stress, depression, anxiety in parents); (5) Parental relationship satisfaction (e.g. happiness between parents and conflict between parents); and (6) Independent observations of child behavior (observed child appropriate and inappropriate behaviours).

An effect size was calculated for each outcomes measure for each study. An effect size gives a measure of the strength of an intervention effect. It shows the extent to which an intervention has an impact on the outcomes it is targeting. In a meta-analysis, the effect sizes found across studies were combined to give an overall effect size.

Figure 2 summarizes the overall positive effect sizes Triple P attains for both child outcomes and parenting practices (the primary targets of the intervention). Table 1 shows the short-term intervention effects (improvements seen in families when measured immediately after completing intervention). Table 2 shows the long-term intervention effects (improvements seen in families 2-36 months after completing Triple P). Effect sizes can be interpreted using Cohen's (1988) guidelines: 0.2 = small effect; 0.5 = medium effect; 0.8 = large effect. Analysis of moderators of the intervention effects demonstrated benefits to children and parents regardless of whether the study was led by developer or independently, was published or unpublished, or used a large or small sample.




Figure 2. Effect sizes for child and parent outcomes as a function of level of intervention

Table 1. Meta-Analysis Short-term intervention effects

Outcome and level	Number of samples	<i>d</i> (overall effect size)	<i>p</i> value for significance
Child social emotional and behavioural outcomes			
All levels combined	104	0.467	0.000 ***
Triple P Level 1	4	0.349	0.047 *
Triple P Level 2	8	0.514	0.000 ***
Triple P Level 3	6	0.445	0.000 ***
Triple P Level 4	75	0.468	0.000 ***
Triple P Level 5	11	0.526	0.000 ***
Parenting practices			
All levels combined	98	0.575	0.000 ***
Triple P Level 1	4	0.324	0.090 **
Triple P Level 2	9	0.471	0.000 ***
Triple P Level 3	5	0.819	0.000 ***
Triple P Level 4	69	0.567	0.000 ***
Triple P Level 5	11	0.714	0.000 ***
Parenting satisfaction and confidence			
All levels combined	73	0.519	0.000 ***
Triple P Level 1	4	0.243	0.006 **
Triple P Level 2	7	0.547	0.000 ***
Triple P Level 3	6	0.711	0.000 ***
Triple P Level 4	49	0.505	0.000 ***
Triple P Level 5	7	0.743	0.000 ***
Parental adjustment			
All levels combined	88	0.339	0.000 ***
Triple P Level 1	3	0.109	0.119 <i>ns</i>
Triple P Level 2	7	0.121	0.023 *
Triple P Level 3	3	0.348	0.026 *
Triple P Level 4	65	0.374	0.000 ***
Triple P Level 5	10	0.368	0.014 *
Parental relationship			
All levels combined	61	0.228	0.000 ***
Triple P Level 1	3	0.161	0.144 <i>ns</i>
Triple P Level 2	6	0.363	0.001 **
Triple P Level 3	2	0.500	0.014 *
Triple P Level 4	43	0.231	0.000 ***
Triple P Level 5	7	0.198	0.015 *
Child observational data			
All levels combined	21	0.483	0.000 ***
Triple P Level 1	-	-	-
Triple P Level 2	1	1.874	0.000 ***
Triple P Level 3	3	0.221	0.232 <i>ns</i>
Triple P Level 4	12	0.410	0.001 **
Triple P Level 5	5	0.525	0.000 ***

* $p < .05$; ** $p < .01$; *** $p < .001$; *ns* = not significant

Table 2. Long-term intervention effects

Outcome and level	Number of samples	<i>d</i> (overall effect size)	<i>p</i> value for significance
Child social emotional and behavioural outcomes			
All levels combined	54	0.531	0.000 ***
Level 1	3	0.622	0.050 *
Level 2	4	1.352	0.000 ***
Level 3	3	0.615	0.002 **
Level 4	36	0.401	0.000 ***
Level 5	8	0.793	0.006 **
Parenting practices			
All levels combined	46	0.494	0.000 ***
Level 1	3	0.367	0.053 ns
Level 2	4	0.820	0.000 ***
Level 3	2	0.463	0.020 *
Level 4	30	0.451	0.000 ***
Level 5	7	0.810	0.007 **
Parenting satisfaction and efficacy			
All levels combined	39	0.556	0.000 ***
Level 1	4	0.578	0.028 *
Level 2	3	0.844	0.052 ns
Level 3	3	0.784	0.001 **
Level 4	23	0.508	0.000 ***
Level 5	6	0.978	0.011 *
Parental adjustment			
All levels combined	43	0.483	0.000 ***
Level 1	2	0.364	0.088 ns
Level 2	3	0.462	0.010 *
Level 3	1	0.439	0.034 *
Level 4	31	0.460	0.000 ***
Level 5	6	0.731	0.035 *
Parental relationship			
All levels combined	35	0.225	0.000 ***
Level 1	2	0.198	0.103 ns
Level 2	3	0.309	0.077 ns
Level 3	1	0.480	0.033 *
Level 4	24	0.225	0.000 ***
Level 5	5	0.348	0.029 *
Child Observation			
All levels combined	13	0.380	0.011 *
Level 1	-	-	-
Level 2	-	-	-
Level 3	1	-0.032	0.560 ns
Level 4	7	0.906	0.006 **
Level 5	5	0.806	0.017 *

* $p < .05$; ** $p < .01$; *** $p < .001$; ns = not significant

2.4 Evidence from other meta-analyses of Triple P studies

The Triple P evidence-base includes seven published meta-analyses. Six of these are independent of the program developers. All of these meta-analyses have reported significant improvements in child behavior problems and parenting practices. Table 3 lists the existing independent meta-analyses of Triple P and the effect sizes obtained in these studies across both child outcomes and parenting practices. The consistent finding across all published meta-analyses is that Triple P produces positive effects on children's behaviour and parenting practices.

Table 3. Outcomes of independently Published Meta-Analyses of Triple P

Meta-Analysis Paper	Child Outcomes	Parenting Practices
Thomas & Zimmer-Gembeck (2007)	$d = 0.31-0.73$	$d = 0.38-0.70$
de Graaf, Speetjens, Smit, de Wolff, & Tavecchio (2008a)	Not Reported	$d = 0.68$
de Graaf, Speetjens, Smit, de Wolff, & Tavecchio (2008b)	$d = 0.80$	Not Reported
Nowak & Heinrichs (2008)	$d = 0.35-0.57$	$d = 0.38-0.55$
Fletcher et al. (2011)	Not Reported	$d = 0.77$
Tellegen & Sanders (2013)	$d = 0.54$	$d = 0.73$
Wilson et al (2012)	$d = 0.61$	Not Reported

2.5 Null-findings in the context of complete evidence

There have been six out of the 157 published and unpublished Triple P papers, which have found little or no evidence to support the effectiveness of the intervention evaluated. From these, two unpublished PhD studies evaluated a new version of Triple P (Baby Triple P), which has not been disseminated to the wider public population based on these findings (Spry, 2013; Tsivos, 2013). Another study was a Masters thesis based on a sample of only 17 parents and evaluated the effectiveness of providing tipsheets to parents of children with disabilities while providing no other support (Cassidy, 2009). The final three studies which found no significant effects had considerable problems with the implementation of the Triple P Program (Eisner et al., 2012; Little et al., 2012), used measures that had poor reliabilities (Eisner et al., 2012), or had a comparison group that significantly improved in parallel with the positive changes in the Triple P group (Schappin et al., 2013).

Cassidy, K. (2001). *Evaluation of the Effectiveness of Stepping Stones Tip sheets to Manage Challenging Behaviours in Children with Developmental Disability*: Unpublished Masters dissertation, Curtin University of Technology, Perth, Western Australia.

Eisner, M., Nagin, D., Ribeaud, D., & Malti, T. (2012). Effects of a universal parenting program for highly adherent parents: a propensity score matching approach. *Prevention Science, 13*(3), 252-266.

Little, M., Berry, V., Morpeth, L., Blower, S., Axford, N., Taylor, R., . . . Tobin, K. (2012). The impact of three evidence-based programmes delivered in public systems in Birmingham, UK. *International Journal of Conflict and Violence, 6*(2), 260-272. doi: 0070-ijcv-2012293

Schappin, R., Wijnroks, L., Venema, M., Wijnberg-Williams, B., Veenstra, R., Koopman-Esseboom, C., & Jongmans, M. (2013). *Triple P - Positive Parenting Program for parents of preterm born preschoolers: A randomised, clinical trial*. Manuscript submitted for publication.

Spry, C. (2013). *A randomised control trial examining the efficacy of Baby Triple P, a group based couple intervention*. Manuscript in preparation.

Tsivos, Z. (2013). *A pilot randomised controlled trial to evaluate the feasibility of the Baby Positive Parenting Programme in women with Postnatal Depression*. Manuscript submitted for publication.

2.6 Developer involvement in evaluation studies

Triple P has generated considerable scientific interest around the world. A wide range of studies have been conducted to date involving 429 different researchers, in 129 different institutions, across 13 countries, including studies conducted in NSW. 36% of these studies have been independent evaluations. Studies comprising the evidence base include: Published research (including RCTs, population trials, Single N studies), manuscripts under review, manuscripts in preparation, unpublished Masters and Doctoral dissertations, unpublished Professional Doctorate dissertations. All studies included involve some reporting on a study outcome regarding parenting, emotional functioning, partner relationship, or child behaviour/emotion. This list of studies excludes evaluation studies of the effects of professional training, and cultural acceptability studies. These additional studies can be found in the Triple P evidence base www.pfsc.uq.edu.au/evidence.

Table 4 shows that the highest proportion of studies of Triple P (36%) were independent studies with no involvement of the developer. The remaining studies were either led by the developer or have some level of developer involvement.

Table 4. Triple P studies as a function of level of developer involvement

Level of developer involvement	Description	Number of Trials	Percentage of Trials
No Involvement	Developer not involved in any stage of study	58	36.94%
Developer Led	Developer involved in study conceptualisation, design, method, analysis of results, and write-up	47	29.94%
Developer involvement, but not led	Developer involved in study conceptualisation and design	40	25.48%
Minimal involvement	Developer consulted in aspects of study design and implementation	12	7.64%
TOTAL		157	100%

2.7 Evidence concerning cost effectiveness

In addition to outcome evaluations Triple P has been subjected to a series of economic analyses that show the program to be one of the most cost effective interventions available. Foster et al. (2008) estimated that the infrastructure costs associated with the implementation of the Triple P system in the US was \$12 per participant, a cost that could be recovered in a single year by as little as a 10% reduction in the rate of abuse and neglect.

Lee et al. (2012) from the highly respected Washington Public Policy Institute in the US reviewed a wide range of evidence-based interventions (including a range of other parenting programs) and rated Triple P as the most cost effective parenting program. The authors conducted a careful economic analysis of the costs and benefits of implementing the Triple P system only using indices of improvement on rates of child maltreatment (out of home placements and rates of abuse and neglect). Their findings showed that for an estimated total intervention cost of \$143 per family, if only 10% of parents received Triple P, there would be a positive benefit of \$722 per participant, with a benefit to cost ratio of \$6.06. The benefit to cost ratio would be even higher when higher rates of participation are modeled. Other economic analyses of implementation of Triple P as a system have similarly shown the intervention to be highly cost effective in the prevention of antisocial behavior (e.g. Mihalopoulos et al. 2007, 2011).

3. Inclusion of Triple P in evidence-based lists of effective interventions

Triple P evaluation studies have met the stringent criteria for inclusion on a range of independent Lists of Evidence Based Practices:

- Substance Abuse and Mental Health Services Administration⁵
- The California Clearing House for Evidence-Based Programs⁶
- The UK's National Academy of Parenting Research (NAPR)⁷;
- The UK Department for Education⁸
- The US Blueprints for Violence Prevention⁹
- National Institute for Clinical Excellence and Social Care (NICE)¹⁰
- KidsMatter¹¹ – The Australian Government's primary schools mental health initiative recognises Triple P as being the gold standard for evidence based parenting programs awarding it the maximum four stars for evidence of effectiveness.

3.1 Recognition in International and National Policy Documents

Triple P has been referred to as one of the few evidence-based parenting programs by the following sources:

- American Psychological Association¹;
- Institute of Medicine²
- United Nations³;
- World Health Organisation⁴

1. American Psychological Association. (2009). Effective strategies to support positive parenting in community health centers: Report of the Working Group on Child Maltreatment Prevention in Community Health Centers: Washington, DC: Author. 2. National Research Council and Institute of Medicine (2009). Preventing mental, emotional, and behavioral disorders among young people: Progress and possibilities. Committee on the Prevention of Mental Disorders and Substance Abuse Among Children, Youth, and Young Adults: Research Advances and Promising Interventions. Mary Ellen O'Connell, Thomas Boat, and Kenneth E. Warner (Eds.), Board on Children, Youth, and Families, Division of Behavioral and Social Sciences and Education. Washington, DC: The National Academies Press. 3. United Nations Office on Drugs and Crime [UNDOC], Vienna. (2009). Guide to implementing family skills training programmes for drug abuse prevention. New York: United Nations. 4. World Health Organisation [WHO] (2009). Preventing violence through the development of safe, stable and nurturing relationships between children and their parents and caregivers. Series of briefings on violence prevention: the evidence. Geneva, Switzerland: WHO. 5. Department of Health and Human Services Substance Abuse and Mental Health Services Administration Community Resilience and Recovery Initiative. (2010). CCRI: Request for Applications (RFA) No. SM-10-015. 6. The California Clearing House for Evidence-Based Programs. (2011). Retrieved from: <http://www.cebc4cw.org/program/triple-p-positive-parenting-program> 7. The National Academy of Parenting Research (NAPR; 2011). Retrieved from : <http://www.parentingresearch.org.uk/Default.aspx> 8. The Department of Education. (2011). Parenting Early Intervention Programme: 2nd interim report. 9. Blueprints for Violence Prevention. (2012). Retrieved from 10. National Institute of Clinical Excellence and Social Care (2006). Parent-training/education programmes in the management of children with conduct disorders. London: Author. 11. KidsMatter (2013). Australia Early Childhood Mental Health Initiative. Triple P-Positive Parenting Program. Retrieved from <https://www.kidsmatter.edu.au/early-childhood/programs/triple-p-positive-parenting-program>. Lee S, Aos S, Drake E, Pennuci A, Miller, M. Anderson, L (2012). Return on investment: Evidence-based options to improve statewide outcomes April 2012 Update. Wash. State Inst. Pub. Policy. Olympia, WA. Mihalopoulos C, Vos T, Pirkis J, Carter R. 2011. The economic analysis of prevention in mental health programs. Annu. Rev. Clin. Psychol. 7:169-201 Mihalopoulos C, Sanders MR, Turner KMT, Murphy-Brennan M, Carter R. 2007. Does the Triple P - Positive Parenting Program provide value for money? Aust. NZ. J. Psychiat. 41:239-46

3.2 Endorsement by independent experts

"The Triple P parenting program is one of the great advances in preventive psychiatry internationally and it has been pioneered and scaled up by one of our great innovators in mental health Professor Matt Sanders from Queensland. It targets one of the key risk/protective zones influencing mental health and wellbeing in children and young people and the trajectory of their lives. This highly evidence based program should be as widely available as possible throughout Australia and around the world."

Professor Patrick McGorry

Australian of the Year, 2010.

Executive Director, OYH Research Centre, University of Melbourne, Australia

“Triple P is a remarkable program, a potent world-wide implementation of a particularly strong intervention for conduct problems in children. A major strength is that it is designed to take multiple forms, at differing levels of intensity, depending on the level of child risk involved and the context within which intervention or prevention will be carried out. The materials used to support implementation—including masterfully produced videos—are first-rate, and the ability of the Triple P organization to capture public attention and engage public agencies and government entities, is most impressive. Triple P beautifully illustrates the power of a public health approach to child mental health care.”

Professor John R. Weisz, Ph.D., ABPP
Department of Psychology, Harvard University
Harvard Medical School, USA

“I write in strong support of the Triple P Program an evidence based initiative which has been extensively implemented and valued internationally. It is one of a number of valuable resources aimed at mitigating mental health problems for children and families.”

Professor Beverley Raphael AM
Professor of Population Mental Health and Disasters
University of Western Sydney, Australia

“The program is a revolution by which ordinary families will have access to the best that the past 30 years of research on families can offer. The materials are outstanding, the program design is excellent and the science is superb. The program is the best in the world.”

Professor Patrick McGrath
School of Psychology, Psychiatry and Biomedical Engineering
Dalhousie University, Canada

“Triple P is the only research-based parenting program that provides the flexibility to adapt to the needs of families and to a variety of service settings. It is highly appealing to me as a paediatrician because it provides a set of tools that allow me to address common concerns of parents efficiently and effectively.”

John C. Duby, M.D.
Director, Division of Developmental and Behavioral Pediatrics
Akron Children’s Hospital, Ohio, USA

“Triple P offers straight forward, sensible techniques that have proven to be very effective.”

Professor Fiona Stanley AC
2003 Australian of the Year
Patron, Telethon Institute for Child Health Research, Australia

“The Triple P Model is unique because it has created a family of parenting programs that can meet the numerous challenges that parents face in parenting and family life. It is impressive that the broad-based use of Triple P practical ideas can both improve the quality and enjoyment of parenting for the average parent as well as reduce the community-wide rates of maltreatment in families that are very challenged by risky circumstances.”

Professor Mark Greenberg, Ph.D.
Bennett Chair of Prevention Research
Penn State University, USA

“Triple P is a great program. To my mind, it is the best in the world at addressing the needs of the whole community. The different components are carefully tailored to the needs of a range of parents. The content is based on best scientific practice, and is accessible and fun. Above all, it has been proven in numerous controlled trials to be highly effective.”

Professor Stephen Scott
Institute of Psychiatry, Kings College
University of London, UK

“An excellent example is the Positive Parenting Program (Triple-P), a parenting program developed in Australia to treat disruptive behavior in preschool children (Sanders, 2008; Sanders & Murphy-Brennan, 2010). Early studies demonstrated efficacy in applications with individual families. Over a period spanning 25 years, efforts were made to develop brief and cost-effective versions of the program, ways of delivering treatment through groups, and flexible delivery through telephone consultation and the media. The range of interventions available from this one “treatment” encompasses versions of the program that can be intensively provided to individual families or provided as preventive interventions via media widely available (e.g., DVD, online).”

Professor Alan Kazdin, Yale University, USA.
From article by Kazdin & Blaze (2011) in Perspectives of Psychological Science.

As I struggle in my visits as a physician to rural NSW where I come into contact with distraught families having difficulty in managing their children’s complex behavioural and learning problems I am confronted with a sense of powerlessness. The need for support for these families is massive. I know the published international and national evidence of the effectiveness of the Triple P programme. In the rural settings I visit, where services generally are deficient and there is a large Aboriginal population, Triple P is run through the now Medicare Local and I know it has been especially tailored to meet the needs of Aboriginal people in that community. Nevertheless, in this environment, it very difficult for the marginalised families to get access to the programme. There is a pressing need for such an effective programme with its potential for prevention as one of the best investments society could make in prevention. Beyond my direct experience of the needs and effectiveness of Triple P, I have appreciated its significance in suicide prevention; I chair the Australian Suicide Prevention Advisory Council and over the last decade we have supported wide implementation of Triple P and related programmes. Suicide prevention is in a sense the ultimate test of the effectiveness of early interventions but interventions in the pathways of risk have the capacity to prevent other adverse outcomes – disengagement of education, future joblessness, alcohol and drug problems and mental health problems. It would be undoubtedly true that Triple P is capable of prevention of these youthful harms.

Professor Ian Webster, AO, Chair Australian Suicide Prevention Advisory Council
Emeritus Professor, University of New South Wales, Australia

3.3 Awards and international recognition

Professor Matt Sanders, the developer of Triple P, has been recognised both nationally and internationally for contributions to children’s mental health and family functioning through a range of awards including:

- Triple P has Twice won the Australian violence Prevention Award (1995, 1997)
- Trailblazer Award, Association of Behavioural and Cognitive Therapies (2007)
- President’s Award for Distinguished Contribution to Psychology, Australian Psychological Society (APS)
- International Collaborative Prevention Research Award, Society for Prevention Research (SPR)
- Triple P’s founder Professor Matt Sanders was Queenslander of the Year (2007) for his contribution to Queensland children and families
- Honorary President, Canadian Psychological Association (2009)

4.0 Conclusion

There is a broad consensus of scientific and professional opinion that the Triple P system of intervention has made an outstanding contribution to the wellbeing of Australian children and their families. Although not without its critics it has by far the most substantial evidence base supporting its efficacy of any Australian developed parenting program and is the only intervention internationally to have demonstrated when implemented on a whole of community basis it reduces the population level of child maltreatment.

Over a thirty-five year period Triple P has evolved into a whole-of-population parenting support strategy. The Triple P system adopted a public health approach to the delivery of universal parenting support with the goal of increasing parental self-efficacy, knowledge and competence in the use of skills that promote positive development in children and adolescents. This change in focus has enabled millions more children around the world to experience the benefits of positive parenting and family environments that promote healthy development and as a consequence fewer children have developed behavioral and emotional problems or episodes of maltreatment.

When parents are empowered with the tools for personal change they require to parent their children positively, the resulting benefits for children, adolescents, parents, and the community at large are immense.

Appendix A

Comprehensive listing of the Triple P evidence-base

1. Adamson, M. (2011). *Childhood Feeding Difficulties: A randomised controlled trial of a group parenting intervention*. (Unpublished doctoral thesis), The University of Queensland, Brisbane, Australia.
2. Adamson, M., Morawska, A., & Sanders, M. R. (2013). *Childhood feeding difficulties: A randomised controlled trial of a group-based parenting intervention*. Manuscript submitted for publication.
3. Aurin, S. (2012). *Survival Kit for Adolescents' Parents? A Randomized Control Trial of a Universal Preventative Positive Parenting Program for Parents of Teenagers: Group Teen Triple P*. (Unpublished Masters Thesis), Braunschweig, Germany.
4. Beames, L., Sanders, M. R., & Bor, W. (1992). The role of parent training in the cognitive behavioral treatment of children's headaches. *Behavioural Psychotherapy*, 20(2), 167-180. doi: 10.1017/S0141347300016943
5. Bjornstad, G. (2009). *An investigation of self-help behavioural interventions for conduct problems in children*. (Unpublished doctoral thesis), University of Oxford, Oxford, UK.
6. Bodenmann, G., Cina, A., Ledermann, T., & Sanders, M. R. (2008). The efficacy of the Triple P-Positive Parenting Program in improving parenting and child behavior: A comparison with two other treatment conditions. *Behaviour Research and Therapy*, 46(4), 411-427. doi: 10.1016/j.brat.2008.01.001
7. Bor, W., Sanders, M. R., & Markie-Dadds, C. (2002). The effects of the Triple P-positive Parenting Program on preschool children with co-occurring disruptive behavior and attentional/hyperactive difficulties. *Journal of Abnormal Child Psychology*, 30(6), 571-587. doi: 10.1023/a:1020807613155
8. Boyle, C., Sanders, M. R., Lutzker, J. R., Prinz, R. J., Shapiro, C. J., & Whitaker, D. J. (2010). An analysis of training, generalization and maintenance effects of Primary Care Triple P for parents of preschool-aged children with disruptive behavior. *Child Psychiatry and Human Development*, 41, 114-131.
9. Brown, S. (2010). *Surviving multiples: An evaluation of a group behavioural parenting intervention for parents of twins and triplets*. (Unpublished doctoral thesis), The University of Queensland, Brisbane, Australia.
10. Calam, R., Sanders, M. R., Miller, C., Sadhnani, V., & Carmont, S. A. (2008). Can technology and the media help reduce dysfunctional parenting and increase engagement with preventative parenting interventions. *Child Maltreatment*, 13(4), 347-361.
11. Cann, W., Rogers, H., & Matthews, J. (2003). Family Intervention Services program evaluation: A brief report on initial outcomes for families. *Australian e-Journal for the Advancement of Mental Health*, 2(3). doi: 10.5172/jamh.2.3.208
12. Cann, W., Rogers, H., & Worley, G. (2003). Report on a program evaluation of a telephone assisted parenting support service for families living in isolated rural areas. *Australian e-Journal for the Advancement of Mental Health*, 2(3). doi: 10.5172/jamh.2.3.201
13. Cassidy, K. (2001). *Evaluation of the Effectiveness of Stepping Stones Tip sheets to Manage Challenging Behaviours in Children with Developmental Disability*: Unpublished Masters dissertation, Curtin University of Technology, Perth, Western Australia.
14. Chan, S. K.-C., & Leung, C. S., M. R. (2012). *A Randomized Controlled Trial to Compare the Effects of Directive and Non-directive Parenting Programs*. Manuscript in preparation.
15. Chand, N. L., Farruggia, S. P., Dittman, C. K., Chu, J. T. W., & Sanders, M. R. (in press). Positive youth development and Teen Triple P: Promoting positive youth development through a brief parenting intervention programme. *Youth Studies Australia*.
16. Child and Adolescent Community Health Service. (2011). *Seminar Series Triple P: Pilot Evaluation Report*. Perth, Australia.
17. Chu, J., Bullen, P., Farruggia, S. P., Dittman, C. K., & Sanders, M. R. (2013). *A randomised controlled trial of Group Teen Triple P*. Manuscript in preparation.
18. Cina, A., Ledermann, T., Meyer, J., Gabriel, B., & Bodenmann, G. (2004). Triple P in der Schweiz: Zufriedenheit, Akzeptanz und Wirksamkeit (No. 162) [Triple P in Switzerland: Satisfaction, acceptance, and effectiveness]. Institute for Family Research and Counseling, University of Fribourg, Switzerland.
19. Cina, A., Röösl, M., Schmid, H., Lattmann, U. P., Barbara Fäh, Schönenberger, M., . . . Bodenmann, G. (2011). Enhancing positive development of children: Effects of a multilevel

- randomized controlled intervention on parenting and child problem behavior. *Family Science*, 2(1), 43-57. doi: 10.1080/19424620.2011.601903
20. Connell, S., Sanders, M. R., & Markie-Dadds, C. (1997). Self-directed behavioral family intervention for parents of oppositional children in rural and remote areas. *Behavior Modification*, 21(4), 379-408. doi: 10.1177/01454455970214001
 21. Crisante, L. (2003). Training in parent consultation skills for primary care practitioners in early intervention in the pre-school context. *Australian e-Journal for the Advancement of Mental Health*, 2(3). doi: 10.5172/jamh.2.3.191
 22. Crisante, L., & Ng, S. (2003). Implementation and process issues in using Group Triple P with Chinese parents: Preliminary findings. *Australian e-Journal for the Advancement of Mental Health*, 2(3). doi: 10.5172/jamh.2.3.226
 23. Dadds, M. R., Sanders, M. R., Behrens, B. C., & James, J. E. (1987). Marital discord and child behavior problems: A description of family interactions during treatment. *Journal of Clinical Child & Adolescent Psychology*, 16(3), 192-203. doi: 10.1207/s15374424jccp1603_3
 24. Dadds, M. R., Sanders, M. R., & James, J. E. (1987). The generalization of treatment effects in parent training with multidistressed parents. *Behavioural Psychotherapy*, 15(4), 289-313. doi: 10.1017/S0141347300012696
 25. de Graaf, I., Haverman, M., Onrust, S., & Tavecchio, L. (2009). *Improving parenting and its impact on parental psychopathology: Trial of the Triple P Positive Parenting Program*. Trimbos Institut.
 26. de Graaf, I., Onrust, S., Haverman, M., & Janssens, J. (2009). Helping families improve: An evaluation of two primary care approaches to parenting support in the Netherlands. *Infant and Child Development*, 18, 481-501.
 27. Dean, C., Myers, K., & Evans, E. (2003). Community-wide implementation of a parenting program: The South East Sydney Positive Parenting Project. *Australian e-Journal for the Advancement of Mental Health*, 2(3). doi: 10.5172/jamh.2.3.179
 28. Devilly, G. J., & Sanders, M. R. (1993). "Hey dad, watch me": The effects of training a child to teach pain management skills to a parent with recurrent headaches. *Behaviour Change*, 10(4), 237-243.
 29. Doherty, F. (2012). *Positive Parenting Program (Triple P) for Families of Adolescents with Type 1 Diabetes: A Randomised Controlled Trial of Self-directed Teen Triple P*. (Unpublished doctoral thesis), University of Manchester, Manchester, UK.
 30. Duncombe, M. E., Havighurst, S. S., Holland, K. A., Frankling, E. J., Kehoe, C. E., & Stargatt, R. (in press). A Randomized Controlled Comparison of an Emotion- and Behavior-Focused Group Parenting Program for Children at Risk for Conduct Disorder. *Journal of Consulting and Clinical Psychology*.
 31. Eichelberger, I., Pluck, J., Hanish, C., Hautmann, C., Janen, N., & Dopfner, M. (2010). Effekte universeller Prävention mit dem Gruppenformat des Eltern-trainings Triple P auf das kindliche Problemverhalten, das elterliche Erziehungsverhalten und die psychische Belastung der Eltern. *Zeitschrift fuer Klinische Psychologie und Psychotherapie*, 39(1), 24-32.
 32. Eisner, M., Nagin, D., Ribeaud, D., & Malti, T. (2012). Effects of a universal parenting program for highly adherent parents: a propensity score matching approach. *Prevention Science*, 13(3), 252-266.
 33. Eisner, M., Ribeaud, D., Juenger, R., & Meidert, U. (2007). *Fruehpraevention von Gewalt und Aggression. Ergebnisse des Zuercher Praeventions- und Interventionsprojektes an Schulen [Early prevention of violence and aggression. Results from the Zurich prevention and intervention project at schools]*. Zuerich: Ruegger Verlag.
 34. Feldmann, M., Heinrichs, N., Hahlweg, K., & Bertram, H. (2007). Bibliothérapie zur Verbesserung elterlicher Erziehungskompetenz: Eine randomisierte Evaluationsstudie. *Verhaltenstherapie*, 17, 26-35.
 35. Fujiwara, T., Kato, N., & Sanders, M. R. (2011). Effectiveness of Group Positive Parenting Program (Triple P) in Changing Child Behavior, Parenting Style, and Parental Adjustment: An Intervention Study in Japan. *Journal of Child and Family Studies*, 20(6), 804-813. doi: 10.1007/s10826-011-9448-1
 36. Gallart, S. C., & Matthey, S. (2005). The effectiveness of Group Triple P and the impact of the four telephone contacts. *Behaviour Change*, 22(2), 71-80. doi: 10.1375/bech.2

37. Glazemakers, I. (2012). *A population health approach to parenting support: Disseminating the Triple P-Positive Parenting Program in the province of Antwerp*. ((Unpublished doctoral thesis)), Universiteit Antwerpen, Antwerp, Belgium.
38. Glazemakers, I., & Deboutte, D. (2012). Modifying the 'Positive Parenting Program' for parents with intellectual disabilities. *Journal of Intellectual Disability Research*. doi: 10.1111/j.1365-2788.2012.01566.x
39. Golley, R. K., Magarey, A. M., Baur, L. A., Steinbeck, K. S., & Daniels, L. A. (2007). Twelve-month effectiveness of a parent-led, family-focused weight-management program for prepubertal children: A randomized, control trial. *Pediatrics*, 119(3), 517-525. doi: 10.1542/peds.2006-1746
40. Hahlweg, K., Heinrichs, N., Kuschel, A., Bertram, H., & Naumann, S. (2010). Long-term outcome of a randomized controlled universal prevention trial through a positive parenting program: is it worth the effort? *Child & Adolescent Psychiatry and Mental Health*, 4(1-14).
41. Hahlweg, K., Heinrichs, N., Kuschel, A., & Feldmann, M. (2008). Therapist-Assisted, Self-Administered Bibliotherapy to Enhance Parental Competence: Short- and Long-Term Effects. *Behavior Modification*, 32(5), 659-681.
42. Hampel, O., Hasmann, S. E., Schaadt, A. K., Holl, R. W., Petermann, F., & Hasmann, R. (2010). Effekte des Stepping Stones Elterngruppentrainings für Familien mit behinderten Kindern. *Kindheit und Entwicklung*, 19(1), 36-46.
43. Hampel, O. A., Schaadt, A. K., Hasmann, S. E., Petermann, F., Holl, R., & Hasmann, R. (2010). Evaluation von Stepping Stones Triple P: Zwischenergebnisse der Stepping-Stones-SPZ-Multicenterstudie Evaluation of Stepping Stones Triple P: Interims analysis of the Stepping-Stones-SPC-Multicentric Study. *Klin Padiatr*, 222, 18– 25.
44. Harrison, J. (2006). *Evaluation of a group behavioural family intervention for families of young children with developmental disabilities*. (honours thesis). Charles Sturt University. Wagga Wagga, Australia.
45. Hartung, D., & Hahlweg, K. (2010). Strengthening Parent Well-Being at the Work-Family Interface: A German Trial on Workplace Triple P. *Journal of Community & Applied Social Psychology*, 20(5), 404-418. doi: 10.1002/casp.1046
46. Hartung, D., & Hahlweg, K. (2011). Stress Reduction at the Work-Family Interface: Positive Parenting and Self-Efficacy as Mechanisms of Change in Workplace Triple P. *Behavior Modification*, 35(1), 54-77.
47. Haslam, D. M., & Sanders, M. R. (2012). Reducing Work and Family Conflict in Teachers: A Randomised Controlled Trial of Workplace Triple P. *School Mental Health*. doi: DOI 10.1007/s12310-012-9091-z
48. Hasmann, R., Schaadt, A. K., Hampel, O., Karpinski, N., Holl, R. W., & Petermann, F. (2012). Rehabilitation behindeter Kinder und deren Eltern mit Stepping Stones Triple P: Welche Therapieeffekte haben Einfluss auf die subjective Behandlungszufriedenheit? *Monatsschrift Kinderheilkunde*, 160, 146-154.
49. Hasmann, S. E., Hampel, O. A., Schaadt, A. K., Bohm, R., Engler-Plorer, S., Mundt, D., . . . Hasmann, R. (2010). Psychosoziale Aspekte bei motorischen Behinderungen: Wie profitieren Familien mit verschiedenartig behinderten Kindern von einem Elterngruppentraining? *Monatsschrift Kinderheilkunde*, 158, 463-470.
50. Heinrichs, N., Hahlweg, K., Bertram, H., Kuschel, A., Naumann, S., & Harstick, S. (2006). Die langfristige Wirksamkeit eines Elterntrainings zur universellen Praevention kindlicher Verhaltensstoerungen: Ergebnisse aus Sicht der Muetter und Vaeter [Long term effectiveness of a parent training for universal prevention of child behavior disorders]. *Zeitschrift fuer Klinische Psychologie und Psychotherapie*, 35, 72-86.
51. Heinrichs, N., Hahlweg, K., Naumann, S., Kuschel, A., Bertram, H., & Stander, D. (2009). Universelle prävention kindlicher verhaltensstörungen mithilfe einer elternzentrierten maßnahme: Ergebnisse drei Jahre nach teilnahme. / Universal prevention of child behavior problems with a parent training. *Zeitschrift für Klinische Psychologie und Psychotherapie: Forschung und Praxis*, 38(2), 79-88.
52. Heinrichs, N., & Jensen-Doss, A. (2010). The effects of incentives on families' long-term outcome in a parenting program. *Journal of Clinical Child & Adolescent Psychology*, 39(5), 705-712. doi: 10.1080/15374416.2010.501290
53. Heinrichs, N., Krueger, S., & Guse, U. (2006). Der Einfluss von Anreizi von Eltern und auf die Effektivitaet eines praeventiven Elterntrainings [I

- on recruitment rates of parents and the effectiveness of a preventative parent training]. *Zeitschrift fuer Klinische Psychologie und Psychotherapie*, 35, 97-108.
54. Hoath, F. E., & Sanders, M. R. (2002). A feasibility study of Enhanced Group Triple P - Positive Parenting Program for parents of children with Attention-deficit/Hyperactivity Disorder. *Behaviour Change*, 19(4), 191-206. doi: 10.1375/behc.19.4.191
 55. Hodges, J., Sheffield, J. K., & Ralph, A. (2013). *Home away from home? A randomised controlled trial of connXionz for boarding school staff*. Manuscript submitted for publication.
 56. Ireland, J. L., Sanders, M. R., & Markie-Dadds, C. (2003). The impact of parent training on marital functioning: A comparison of two group versions of the Triple P-Positive Parenting Program for parents of children with early-onset conduct problems. *Behavioural and Cognitive Psychotherapy*, 31(2), 127-142. doi: 10.1017/s1352465803002017
 57. Jalali, M., Pourahmadi, E., Tahmassian, K., & Shaeiri, M. (2008). The effectiveness of the Triple P-Positive Parenting Program on psychological well being of mothers of children with oppositional defiant disorder (ODD). *Journal of Family Research*, 4(16), 353-368.
 58. Joachim, S., Sanders, M. R., & Turner, K. M. T. (2010). Reducing preschoolers' disruptive behavior in public with a brief parent discussion group. *Child Psychiatry and Human Development*, 41, 47-60. doi: 10.1007/s10578-009-0151-z
 59. Jones, S., Calam, R., Sanders, M. R., Diggle, Dempsey, R., & Sandhani, V. (2013). *A Pilot Web Based Positive Parenting Intervention to Help Bipolar Parents to Improve Perceived Parenting Skills and Child Outcomes*. Manuscript submitted for publication.
 60. Kirby, J. N., & Sanders, M. R. (2013a). *A randomised controlled trial evaluating Grandparent Triple P*. Manuscript submitted for publication.
 61. Kirby, J. N., & Sanders, M. R. (2013b). Using a behavioral family intervention to produce a three-generational benefit on family outcomes: A case report. *Under Review*.
 62. Kuschel, A., Heinrichs, N., & Hahlweg, K. (2009). Is a preventive parenting program effective in reducing a child's externalizing behavior? . *European Journal of Developmental Science*, 3(3), 299-303.
 63. Lake, J. (2010). *An evaluation of the Stepping Stones Triple P Parenting Program and an investigation of parental perceptions of children recently diagnosed with autism: A focus group and pilot study*. (Doctorate of Clinical Psychology), The University of Queensland.
 64. Ledermann, T., Cina, A., Meyer, J., Barbara, G., & Bodenmann, G. (2004). Die Wirksamkeit zweier Praeventionsprogramme zur Verbesserung elterlicher Kompetenzen und kindlichen Befindens (No. 163) [The effectiveness of two prevention program for the improvement of parental competencies and child well-being. Switzerland: Institute for Family Research and Counselling, University of Fribourg.
 65. Leung, C., Fan, A., & Sanders, M. R. (2013). The effectiveness of Group Triple P with Chinese parents who have a child with developmental disabilities: A randomized controlled trial. *Research in Developmental Disabilities*, 34, 976-984.
 66. Leung, C., Sanders, M. R., Ip, F., & Lau, J. (2006). Implementation of Triple P-Positive Parenting Program in Hong Kong: Predictors of programme completion and clinical outcomes. *Journal of Children's Services*, 1(2), 4-17.
 67. Leung, C., Sanders, M. R., Leung, S., Mak, R., & Lau, J. (2003). An outcome evaluation of the implementation of the Triple P-Positive Parenting Program in Hong Kong. *Family Process*, 42(4), 531-544. doi: 10.1111/j.1545-5300.2003.00531.x
 68. Lindsay, G., Strand, S., & Davis, H. (2011). A comparison of the effectiveness of three parenting programmes in improving parenting skills, parent mental-well being and children's behaviour when implemented on a large scale in community settings in 18 English local authorities: the parenting early intervention pathfinder (PEIP). *BMC Public Health*, 11, 962.
 69. Little, M., Berry, V., Morpeth, L., Blower, S., Axford, N., Taylor, R., . . . Tobin, K. (2012). The impact of three evidence-based programmes delivered in public systems in Birmingham, UK. *International Journal of Conflict and Violence*, 6(2), 260-272. doi: 0070-ijcv-20122
 70. Magarey, A. M., Perry, R. A., Baur, L. A., Steinbeck, K. S., Sawyer, M., Hill A. (2011). A parent-led family-focused treatment program for overweight years: The PEACH RCT. *Pediatrics*, 127(2), 214-222. doi: 10.1542/peds.2009-1432

71. Malti, T., Ribeaud, D., & Eisner, M. (2011). The effectiveness of two universal preventive interventions in reducing children's externalizing behavior: a cluster randomized controlled trial. *Journal of Clinical Child & Adolescent Psychology, 40*(5), 677-692.
72. Markie-Dadds, C., & Sanders, M. R. (2006a). A controlled evaluation of an enhanced self-directed behavioural family intervention for parents of children with conduct problems in rural and remote areas. *Behaviour Change, 23*(1), 55-72. doi: 10.1375/behc.23.1.55
73. Markie-Dadds, C., & Sanders, M. R. (2006b). Self-Directed Triple P (Positive Parenting Program) for mothers with children at-risk of developing conduct problems. *Behavioural and Cognitive Psychotherapy, 34*(3), 259-275. doi: 10.1017/s1352465806002797
74. Martin, A. J., & Sanders, M. R. (2003). Balancing work and family: A controlled evaluation of the Triple P-Positive Parenting Program as a work-site intervention. *Child and Adolescent Mental Health, 8*(4), 161-169. doi: 10.1111/1475-3588.00066
75. Masters, G., Gaven, S., Pennington, A., & Askew, L. (2011). *Evaluation of the Implementation of Triple P in NSW*. (Unpublished report).
76. Matsumoto, Y., Sofronoff, K., & Sanders, M. R. (2007). The efficacy and acceptability of the Triple P-Positive Parenting Program with Japanese parents. *Behaviour Change, 24*(4), 205-218. doi: 10.1375/behc.24.4.205
77. Matsumoto, Y., Sofronoff, K., & Sanders, M. R. (2010). Investigation of the effectiveness and social validity of the Triple P Positive Parenting Program in Japanese society. *Journal of Family Psychology, 24*(1), 87-91. doi: 10.1037/a0018181
78. McConnell, D., Breitreuz, R., & Savage, A. (2011). Independent evaluation of the Triple P Positive Parenting Program in family support service settings. *Child & Family Social Work, 1*-12. doi: 10.1111/j.1365-2206.2011.00771
79. McTaggart, P., & Sanders, M. R. (2003). The Transition to School Project: Results from the classroom. *Australian e-Journal for the Advancement of Mental Health, 2*(3). doi: 10.5172/jamh.2.3.144
80. McTaggart, P., & Sanders, M. R. (2005). The transition to school project: A controlled evaluation of a universal population trial of the Triple P Positive Parenting Program. *Unpublished manuscript*.
81. Mejia, A., Calam, R., & Sanders, M. R. (2013). *Randomized controlled trial of a parenting intervention in a developing country*. Manuscript submitted for publication.
82. Moharreri, F., Shahrivar, Z., Tehrani-doost, M., & Mahmoudi-Gharaei, J. (2008). Efficacy of the Positive Parenting Program (Triple P) for parents of children with Attention Deficit/Hyperactivity Disorder. *Iranian Journal of Psychiatry, 3*, 59-63.
83. Morawska, A., Haslam, D., Milne, D., & Sanders, M. R. (2011). Evaluation of a brief parenting discussion group for parents of young children. *Journal of Developmental and Behavioral Pediatrics, 32*(2), 136-145. doi: 10.1097/DBP.0b013e3181f17a28
84. Morawska, A., & Sanders, M. R. (2006a). Self-administered behavioral family intervention for parents of toddlers: Part I. Efficacy. *Journal of Consulting and Clinical Psychology, 74*(1), 10-19. doi: 10.1037/0022-006x.74.1.10
85. Morawska, A., & Sanders, M. R. (2006b). Self-administered behavioural family intervention for parents of toddlers: Effectiveness and dissemination. *Behaviour Research and Therapy, 44*(12), 1839-1848. doi: 10.1016/j.brat.2005.11.015
86. Morawska, A., & Sanders, M. R. (2009). An evaluation of a behavioural parenting intervention for parents of gifted children. *Behaviour Research and Therapy, 47*(6), 463-470. doi: 10.1016/j.brat.2009.02.008
87. Morawska, A., Tometzki, H., & Sanders, M. R. (2013). *An evaluation of the efficacy of a Triple P-Positive Parenting Program Podcast Series*. Manuscript submitted for publication.
88. Myers, K. (2007). *Stepping Stones Triple P: A group delivered behavioural family intervention for children with developmental disabilities and challenging behaviours*. (Honours), Curtin University of Technology.
89. Naumann, S., Kuschel, A., Bertram, H., Heinrichs, N., & Hahlweg, K. (2007). Förderung der elternkompetenz durch Triple P-Elterntrainings. / Promotion of parental P. *Praxis der Kinderpsychologie und Kinderpsychiatrie, 56*(8), 676-690.
90. Neumann, S. (2004). *Evaluation der präventiven Triple P - Kurzberatung (Positive Parenting Program) Veränderungen im elterlichen Erziehungsverhalten*. (Diplom Psychologin), Westfälischen Wilhelms-Universität Münster.

91. Nicholson, J. M., & Sanders, M. R. (1999). Randomized controlled trial of behavioral family intervention for the treatment of child behavior problems in stepfamilies. *Journal of Divorce & Remarriage*, 30(3-4), 1-23. doi: 10.1300/J087v30n03_01
92. Nicholson, J. M., Sanders, M. R., Halford, W. K., Phillips, M., & Whitton, S. W. (2008). The prevention and treatment of children's adjustment problems in stepfamilies In J. Pryor (Ed.), *The international handbook of stepfamilies: Policy and practice in legal, research, and clinical environments* (pp. 485-521). Hoboken, NJ: John Wiley & Sons Inc
93. Nielebock, A. (2004). *Evaluation der präventiven Triple P-Kurzberatung (Positive Parenting Program): Veränderungen im kindlichen Verhalten*. (Diplom Psychologin), Westfälischen Wilhelms-Universität Münster.
94. Ollefs, B. (2008). *Jugendliche mit externalem Problemverhalten Effekte von Elterncoaching. Young people with externalising problem behavior and effects of parent coaching*. (Unpublished doctoral thesis), University of Osnabrück.
95. Ollefs, B., Von Schlippe, A., Omer, H., & Kriz, J. (2009). Jugendliche mit externalem problemverhalten: Effekte von elterncoaching. / Adolescents with external behavior problems: Effects of parental coaching. *Familiendynamik*, 34(3), 256-265.
96. Onrust, S., De Graaf, I., & van der Linden, D. (2011). Results of a randomized clinical trial of the Triple P family intervention for multi-problem families.
97. Penthin, R., Schrader, C., & Mildebrandt, N. (2005). Erfahrungen mit der deutschen Version des Triple P-Elterntrainings bei Familien mit und ohne ADHS-Problematik [Experiences with the German version of Triple P parent training with families with and without ADHS problems]. *Zeitschrift fuer Heilpaedagogik*, 5(186-192).
98. Phelan, R., Howe, D., Cashman, E. L., & Batchelor, S. H. (2012). Enhancing parenting skills for parents with mental illness: the Mental Health Positive Parenting Program. *Medical Journal of Australia*, 2012, 30-33. doi: 10.5694/mjao11.11181
99. Phelan, R., Lee, L., Howe, D., & Walter, G. (2006). Parenting and mental illness: a pilot group programme for parents. *Australasian Psychiatry*, 14(4), 399-402.
100. Plant, K. M., & Sanders, M. R. (2007). Reducing problem behavior during care-giving in families of preschool-aged children with developmental disabilities. *Research in Developmental Disabilities*, 28(4), 362-385. doi: 10.1016/j.ridd.2006.02.009
101. Pouretamad, H., Khooshabi, K., Roshanbin, M., & Jadidi, M. (2009). The effectiveness of Group Positive Parenting Program on parental stress of mothers of children with Attention-Deficit/Hyperactivity Disorder. *Archives of Iranian Medicine*, 12(1), 60-68.
102. Prinz, R. J., Sanders, M. R., Shapiro, C. J., Whitaker, D. J., & Lutzker, J. R. (2009). Population-based prevention of child maltreatment: The U.S. Triple P system population trial. *Prevention Science*, 10(1), 1-12. doi: 10.1007/s11121-009-0123-3
103. Ralph, A., & Sanders, M. R. (2003). Preliminary evaluation of the Group Teen Triple P Program for parents of teenagers making the transition to high school. *Australian e-Journal for the Advancement of Mental Health*, 2(3). doi: 10.5172/jamh.2.3.169
104. Ralph, A., & Sanders, M. R. (2004). The 'Teen Triple P' Positive Parenting Program: A preliminary evaluation. *Trends & Issues in Crime and Criminal Justice*, 282, 1-6.
105. Reis, A. (2004). *Behavioural family intervention for families with pre-school children with disabilities and challenging behaviours: Assessing effects on parent and child play interactions*. (Masters), Curtin University of Technology.
106. Roberts, C., Mazzucchelli, T., Studman, L., & Sanders, M. R. (2006). Behavioral family intervention for children with developmental disabilities and behavioral problems. *Journal of Clinical Child and Adolescent Psychology*, 35(2), 180-193. doi: 10.1207/s15374424jccp3502_2
107. Rogers, H., Cann, W., Cameron, D., Littlefield, L., & Lagioia, V. (2003). Evaluation of the Family Intervention Service for children presenting with characteristics associated with Attention Deficit Hyperactivity Disorder. *Australian e-Journal for the Advancement of Mental Health*, 2(3). doi: 10.5172/jamh.2.3.216
108. Roux, G., Sofronoff, K., & Sanders, M. R. (2013). A Randomized Controlled Trial of Group Stepping Stones Triple P: A Mixed-Disability Trial. *Family Process*. doi: 10.1111/famp.12016
109. Salari, R. (2009). *Parent Training Programs for Parents of Teenagers*. (Unpublished doctoral thesis), Brisbane, Australia.

110. Sanders, M., Calam, R., Durand, M., Liversidge, T., & Carmont, S. A. (2008). Does self-directed and web-based support for parents enhance the effects of viewing a reality television series based on the Triple P-Positive Parenting Programme? *Journal of Child Psychology and Psychiatry*, *49*(9), 924-932. doi: 10.1111/j.1469-7610.2008.01901.x
111. Sanders, M. R. (1980). The effects of parent self-recording and home feedback in systematic parent training. *The Exceptional Child*, *27*(1), 62-71. doi: 10.1080/0156655800270106
112. Sanders, M. R. (1982a). The effects of instructions, feedback, and cueing procedures in behavioural parent training. *Australian Journal of Psychology*, *34*(1), 53-69. doi: 10.1080/00049538208254717
113. Sanders, M. R. (1982b). The generalization of parent responding to community settings: The effects of instructions, plus feedback, and self-management training. *Behavioural Psychotherapy*, *10*(3), 273-287. doi: 10.1017/S0141347300007825
114. Sanders, M. R., Baker, S., & Turner, K. M. T. (2012). A randomized controlled trial evaluating the efficacy of Triple P Online with parents of children with early onset conduct problems. *Behaviour Research and Therapy*, *50*, 675-684.
115. Sanders, M. R., Bor, B., & Dadds, M. (1984). Modifying bedtime disruptions in children using stimulus control and contingency management techniques. *Behavioural Psychotherapy*, *12*(2), 130-141. doi: 10.1017/S0141347300009800
116. Sanders, M. R., Bor, W., & Morawska, A. (2007). Maintenance of treatment gains: A comparison of enhanced, standard, and self-directed Triple P-Positive Parenting Program. *Journal of Abnormal Child Psychology*, *35*(6), 983-998. doi: 10.1007/s10802-007-9148-x
117. Sanders, M. R., & Christensen, A. P. (1985). A comparison of the effects of child management and planned activities training in five parenting environments. *Journal of Abnormal Child Psychology*, *13*(1), 101-117. doi: 10.1007/bf00918375
118. Sanders, M. R., & Dadds, M. R. (1982). The effects of planned activities and child management procedures in parent training: An analysis of setting generality. *Behavior Therapy*, *13*(4), 452-461. doi: 10.1016/S0005-7894(82)80007-5
119. Sanders, M. R., Dittman, C. K., Farruggia, S. P., & Keown, L. (2013). "Do it yourself" parenting interventions: A comparison of online versus workbook delivery of a self-help positive parenting program. Manuscript submitted for publication.
120. Sanders, M. R., & Glynn, T. (1981). Training parents in behavioral self-management: An analysis of generalization and maintenance. *Journal of Applied Behavior Analysis*, *14*(3), 223-237. doi: 10.1901/jaba.1981.14-223
121. Sanders, M. R., Markie-Dadds, C., Tully, L. A., & Bor, W. (2000). The Triple P-Positive Parenting Program: A comparison of enhanced, standard, and self-directed behavioral family intervention for parents of children with early onset conduct problems. *Journal of Consulting and Clinical Psychology*, *68*(4), 624-640. doi: 10.1037/0022-006x.68.4.624
122. Sanders, M. R., & McFarland, M. (2000). Treatment of depressed mothers with disruptive children: A controlled evaluation of cognitive behavioral family intervention. *Behavior Therapy*, *31*(1), 89-112. doi: 10.1016/s0005-7894(00)80006-4
123. Sanders, M. R., Montgomery, D. T., & Brechman-Toussaint, M. L. (2000). The mass media and the prevention of child behavior problems: The evaluation of a television series to promote positive outcome for parents and their children. *Journal of Child Psychology & Psychiatry*, *41*(7), 939-948.
124. Sanders, M. R., Morrison, M., Rebgetz, M., Bor, W., Dadds, M., & Shepherd, R. (1990). Behavioural treatment of childhood recurrent abdominal pain: Relationships between pain, children's psychological characteristics and family functioning. *Behaviour Ch*
125. Sanders, M. R., Pidgeon, A. M., Gravestock, F., Connors, M. D., Brow (2004). Does parental attributional retraining and anger management enhance the effects of the Triple P-Positive Parenting Program with parents at risk of child maltreatment? *Behavior Therapy*, *35*(3), 513-535. doi: 10.1016/s0005-7894(04)80030-3
126. Sanders, M. R., & Plant, K. (1989). Programming for generalization to high and low risk parenting situations in families with oppositional developmentally disabled preschoolers. *Behavior Modification*, *13*(3), 283-305. doi: 10.1177/01454455890133001

127. Sanders, M. R., Prior, J., & Ralph, A. (2009). An evaluation of a brief universal seminar series on positive parenting: A feasibility study. *Journal of Children's Services*, 4(1), 4-20.
128. Sanders, M. R., Ralph, A., Sofronoff, K., Gardiner, P., Thompson, R., Dwyer, S., & Bidwell, K. (2008). Every family: A population approach to reducing behavioral and emotional problems in children making the transition to school. *Journal of Primary Prevention*, 29(3), 197-222. doi: 10.1007/s10935-008-0139-7
129. Sanders, M. R., Rebetz, M., Morrison, M., Bor, W., Gordon, A., Dadds, M., & Shepherd, R. (1989). Cognitive-behavioral treatment of recurrent nonspecific abdominal pain in children: An analysis of generalization, maintenance, and side effects. *Journal of Consulting and Clinical Psychology*, 57(2), 294-300. doi: 10.1037/0022-006x.57.2.294
130. Sanders, M. R., Shepherd, R. W., Cleghorn, G., & Woolford, H. (1994). The treatment of recurrent abdominal pain in children: A controlled comparison of cognitive-behavioral family intervention and standard pediatric care. *Journal of Consulting and Clinical Psychology*, 62(2), 306-314. doi: 10.1037/0022-006X.62.2.306
131. Sanders, M. R., Stallman, H. M., & McHale. (2011). Workplace Triple P: A Controlled Evaluation of a Parenting Intervention for Working Parents. *Journal of Family Psychology*, 25(4), 581-590.
132. Schappin, R., Wijnroks, L., Venema, M., Wijnberg-Williams, B., Veenstra, R., Koopman-Esseboom, C., . . . Jongmans, M. (2013). *Triple P - Positive Parenting Program for parents of preterm born preschoolers: A randomized, clinical trial*. Manuscript submitted for publication.
133. Schmid, H., Anliker, S., Bodenmann, G., Cina, A., Fah, B., Kern-Scheffelt, W., . . . Schonenberger, M. (2007). *Empowerment in family and school (EIFAS): A randomised controlled trial*. Unpublished report.
134. Schmidt, F. (2012). Effectiveness of Triple P services at the Children's Centre Thunder Bay: Final Report for Years 2007 to 2011. Thunder Bay, Ontario: Children's Centre Thunder Bay.
135. Sofronoff, K., Jahnel, D., & Sanders, M. R. (2011). Stepping Stones Triple P seminars for parents of a child with a disability: A randomized controlled trial. *Research in Developmental Disabilities*, 32(6), 2253-2262. doi: 10.1016/j.ridd.2011.07.046
136. Spry, C. (2013). *A randomised control trial examining the efficacy of Baby Triple P, a group based couple intervention*. Manuscript in preparation.
137. Stallman, H. M., & Ralph, A. (2007). Reducing risk factors for adolescent behavioural and emotional problems: A pilot randomised controlled trial of a self-administered parenting intervention. *Australian e-Journal for the Advancement of Mental Health*, 6(2). doi: 10.5172/jamh.6.2.125
138. Stallman, H. M., & Sanders, M. R. (2013). *A randomized controlled trial of Family Transitions Triple P: A group-administered parenting program to minimize the adverse effects of parental divorce on children*. Manuscript submitted for publication.
139. Tehrani-doost, M., Shahrivar, Z., Gharaie, J. M., & Alaghband-Rad, J. (2009). Efficacy of positive parenting on improving children's behavior problems and parenting styles. *Iranian Journal of Psychiatry and Clinical Psychology*, 14(4), 371-379.
140. Tellegen, C. L., & Sanders, M. R. (2012). Using primary care parenting interventions to improve outcomes in children with developmental disabilities: A case report. *Case Reports in Pediatrics*, 2012. doi: 10.1155/2012/150261
141. Tellegen, C. L., & Sanders, M. R. (2013). *A randomised controlled trial of Primary Care Stepping Stones Triple P with parents of children with Autism Spectrum Disorders*. Manuscript submitted for publication.
142. Tsivos, Z. (2013). *A pilot randomised controlled trial to evaluate the feasibility of the Baby Positive Parenting Programme in women with Postnatal Depression*. Manuscript submitted for publication.
143. Turner, K. M. T., Richards, M., & Sanders, M. R. (2007). Randomised controlled trial of a parent education programme for Australian indigenous families. *Journal of Child Psychology and Psychiatry*, 48(6), 629-637. doi: 10.1111/j.1469-7610.2007.01553.x
144. Turner, K. M. T., & Sanders, M. R. (2006). Help when it's needed first: A controlled evaluation of brief, preventive behavioral family intervention in a primary care setting. *Behavior Therapy*, 37(2), 131-142. doi: 10.1016/j.beth.2005.05.004
145. Turner, K. M. T., Sanders, M. R., & Wall, C. R. (1994). Behavioural parent training versus dietary education in the treatment of children with persistent feeding difficulties. *Behaviour Change*, 11(4), 242-258.

146. Valvoi, J. (2010). *Evaluating efficacy of a parent only intervention for childhood anxiety and parenting styles as potential mediators of change: a pilot study*. (Doctor of Psychology), The University of Queensland, St Lucia.
147. Venning, H. B., Blampied, N. M., & France, K. G. (2003). Effectiveness of a standard parenting-skills program in reducing stealing and lying in two boys. *Child & Family Behavior Therapy*, 25(2), 31-44.
148. Walsh, N. (2008). *The impact of therapy process on outcomes for families of children with disabilities and behaviour problems attending group parent training*. Unpublished doctoral dissertation. Curtin University of Technology. Perth, Australia.
149. West, F., Sanders, M. R., Cleghorn, G. J., & Davies, P. S. W. (2010). Randomised clinical trial of a family-based lifestyle intervention for childhood obesity involving parents as the exclusive agents of change. *Behaviour Research and Therapy*, 48(12), 1170-1179. doi: 10.1016/j.brat.2010.08.008
150. Whittingham, K. (2007). *Implementation and Evaluation of the Parenting Program Stepping Stones Triple P for children with Autism Spectrum Disorders*. (PhD (Clinical Psychology) Unpublished doctoral dissertation), The University of Queensland, Brisbane, Australia.
151. Whittingham, K., Sofronoff, K., Sheffield, J., & Sanders, M. R. (2009a). Do parental attributions affect treatment outcome in a parenting program? An exploration of the effects of parental attributions in an RCT of Stepping Stones Triple P for the ASD population. *Research in Autism Spectrum Disorders*, 3(1), 129-144. doi: 10.1016/j.rasd.2008.05.002
152. Whittingham, K., Sofronoff, K., Sheffield, J., & Sanders, M. R. (2009b). Stepping Stones Triple P: An RCT of a parenting program with parents of a child diagnosed with an autism spectrum disorder. *Journal of Abnormal Child Psychology*, 37(4), 469-480. doi: 10.1007/s10802-008-9285-x
153. Wiggins, T. L., Sofronoff, K., & Sanders, M. R. (2009). Pathways Triple P-Positive Parenting Program: Effects on parent-child relationships and child behavior problems. *Family Process*, 48(4), 517-530. doi: 10.1111/j.1545-5300.2009.01299.x
154. Winkler, N. (2006). *Veraenderungen im elterlichen Erziehungsverhalten, im Kompetenzgefuehl von Eltern und im kindlichen Verhalten durch die Teilnahme an einer Kurzberatung. Eien Evaluation der Ebene 3 der Triple P-Elternberatung (Positive Parenting Program) [Changes in parenting behavior, parental feelings of competence, and child behavior through participation in a brief counseling. An evaluation of level 3 Triple P]*. Westfaelische Wilhelms-Universitaet Muenster, Muenster.
155. Winter, L., Morawska, A., & Sanders, M. R. (2011). The effect of behavioral family intervention on knowldege of effective parenting strategies. *Journal of Child and Family Studies*. doi: DOI 10.1007/s10826-011-9548-y
156. Yanagawa, T., Hirao, K., Kato, N., Ueno, M., Kitano, N., Iemoto, M., & Kuno, C. (2012). Implementation of Stepping Stones Triple P (Positive Parenting Program) with parents of a child with an autism spectrum disorder. *Japanese Journal of Child Abuse and Neglect*, 14, 135-152.
157. Zubrick, S. R., Ward, K. A., Silburn, S. R., Lawrence, D., Williams, A. A., Blair, E., . . . Sanders, M. R. (2005). Prevention of child behavior problems through universal implementation of a group behavioral family intervention. *Prevention Science*, 6(4), 287-304. doi: 10.1007/s11121-005-0013-2